

FOM Slim



FOM Slim

Barbican's FOM Slim is our minimal take on the popular FOM linear series of products.

The FOM Slim delivers performance lighting with a unique visual aesthetic, while maintaining low glare.

The FOM Slim system allows for many configurations to fit any space you have.

Our industry leading quick ship program helps you have your fixtures on-site on-time.



The series leverages a large investment in R&D that included developing highly accurate cutting techniques and diffuser material enhancements to make a foldable linear diffusing material.

The FOM Slim is being introduced with 1 widths as standard. 1", 2" 3, and 4" heights.



Fixtures at 2" and higher also deliver wider lateral distribution for increased fixture spacing and cost savings.





Our diffusers are made with PETG resin.

This material is very resilient and also very resistant to harsh disinfectant cleaners.

Barbican can use any driver as long as they know what they need for the application requested.

Barbican is CE & ETL rated and can address needs in all of North America, Europe, the Middle East as well as Africa.



FOM Slim Pendant allows for individual straight and continuous straight, multi-luminaire configurations.



FOM Slim brings a minimal form factor to the design without sacrificing light output or visual comfort thanks to the multi-sided lens and unique-to-Barbican PETG lens material delivering a soft diffusion.




EXAMPLE SPECIFICATIONS - FOM Slim (See FOM Slim Spec Sheets for full details)

 **10 day quick-ship** (see spec sheet for quick-ship information, limitations and requirements)


Fixture	Width	Height	Length	Mounting	Delivered Lumens			
27-01 FOM Slim	1W 1"	1H 1"	24L 24"	ACM Aircraft Cable MSM Micro Stem	0440LM Standard 440 lm/ft (4W/ft) 0660LM Standard 660 lm/ft (6W/ft) 0880LM Standard 880 lm/ft (8W/ft) CUSLM Custom Lumen Output* <small>200lm/ft - 1200lm/ft; Consult factory for outputs outside of this range</small>			
		2H 2"	30L 30"			66L 66"	72L 72"	
		3H 3"	36L 36"			78L 78"	84L 84"	
		4H 4"	42L 42"			84L 84"	90L 90"	
		48L 48"	90L 90"			96L 96"		
		54L 54"						
		60L 60"						
		CUSL Custom length (Single Pendant or Linear Array)						

AVAILABLE CONFIGURATIONS

AVAILABLE PROFILES




RELATED PRODUCT



SAMPLE LAYOUT



Mounting Height: 9'-0" AFF
 Workplane Height: 2'-6" AFF
 Suspension Length: 2'-0"
 Spacing: 13'-0"
 Fixture Specs: 1" x 2"
 880 lm/ft (8W/ft)
 3000K
 Reflectances (%): 80/50/20
 Ceiling/Wall/Floor
 Spacing Criteria: 1.4 to 1.5
 Min/Max (between fixtures): 1.14



EXPLORE



FOM Slim webpage



barbican ARCHITECTURAL

lighting | walls | acoustic

Barbican Architectural Products Ltd. - HQ 479 Central Ave., Fort Erie, ON, CA, L2A 3T9 www.barbican.ca
 1.800.663.5781
 Barbican Architectural Products (USA) Inc. 266 Elmwood Ave., Unit #386, Buffalo, NY, USA, 14222 sales@barbican.ca

© 2023 Barbican. All Rights Reserved. Specifications subject to change or withdrawal without notice. Last modified: 01/30/2023